

AMENDMENT TO THE CLAIMS

▪ **Format of Claim Amendments**

Applicant has amended the claims as indicated below. Pursuant to the revised format to 37 C.F.R. 1.121 which is planned to be officially adopted by the USPTO in July of 2003, and which is now permitted by the office pursuant to the USPTO's release of January 31, 2003, Applicants herein submit only one version of the claims with markings to show changes. A detailed listing of all claims that are, or were in the application, are presented.


▪ **Statement with Respect to Scope of Amended and Non-Amended Claims**

Amendments to, cancellation of, and additions to, the claims are made in order to streamline prosecution of the case to embodiments that are presently anticipated to be of commercial significance, and are not made for a purpose of patentability. Any amendment, cancellation or addition made herein should not be construed in any manner as indicating Applicants' surrender of any subject matter of the application, or surrender of any equivalent to any element asserted in one or more claims. Applicants do not concede that the scope of the claims set forth below fail to extend as far as the original claims. Furthermore, any narrowing which may be evinced with respect to subject matter covered by the claims as a whole, or by one or more claims of the appended claims, when compared to claims previously in the application, should not be interpreted as indicating that the Applicants have generally disclaimed the territory between the original claimed subject matter and the amended claimed subject matter. Applicants intend each term of the claims set forth below to be read with respect to the full-breadth of the language of the claims and not to be confined to a strict literal read of amended terms. Amended claims elements are to be construed to include substantial equivalents known to those of ordinary skill in the art. Applicants assert that the amendments are made without prejudice and reserve all rights to prosecute any canceled claims, and claims preceding any amendment, and other disclosed (but not presently claimed) embodiments in the application, in future continuation applications, divisional applications, continuation-in-part applications,

continuing prosecution applications, requests for continuing examination, re-examination applications and any other application claiming priority from or through the present application.

**COMPLETE LIST OF CLAIMS THAT ARE OR HAVE BEEN BEFORE THE OFFICE
 AFTER ENTRANCE OF THE AMENDMENTS MADE HEREIN**

Claim1: (Previously amended) A compound of formula (I) :



their tautomeric forms, their stereoisomers, their pharmaceutically acceptable salts, their pharmaceutically acceptable solvates, wherein one or more groups R¹, R², R³, R⁴ may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C₁-C₁₂)alkyl, linear or branched (C₂-C₁₂)alkenyl, (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂)alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, ar(C₁-C₁₂)alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C₁-C₁₂)alkyl, heteroar(C₁-C₁₂)alkyl, heteroaryloxy, heteroar(C₁-C₁₂)alkoxy, heterocycliloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxy carbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxy carbonyl, heteroaralkoxycarbonyl, heterocycliloxy carbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C₁-C₁₂)alkylthio, thio(C₁-C₁₂)alkyl, arylthio, (C₁-C₁₂)alkoxycarbonylamino, aryloxy carbonylamino, aralkyloxy carbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and derivatives of carboxylic acids selected from CONH₂, alkylaminocarbonyl, dialkylaminocarbonyl, arylaminocarbonyl; aralkylaminocarbonyl; heteroarylaminocarbonyl and heteroaralkylamino carbonyl groups;

heterocyclaminocarbonyl groups; sulfonic acid and its derivatives selected from SO_2NH_2 , SO_2NHMe , SO_2NMe_2 , SO_2NHCF_3 , $\text{SO}_2\text{NHCO}(\text{C}_1\text{-C}_6)\text{alkyl}$, $\text{SO}_2\text{NHCOaryl}$ groups, phosphonic acid and its derivatives selected from $\text{P}(\text{O})(\text{OH})_2$, $\text{P}(\text{O})(\text{O C}_1\text{-C}_6\text{ alkyl})_2$, $\text{P}(\text{O})(\text{O aryl})_2$, $\text{P}(\text{O})(\text{OH})(\text{O C}_1\text{-C}_6\text{ alkyl})$ groups; or the adjacent groups R^2 and R^3 together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; W represents O, S or NR^9 where R^9 represents hydrogen, $(\text{C}_1\text{-C}_{12})\text{alkyl}$ or aryl; Ar represents a substituted or unsubstituted divalent single or fused aromatic, heteroaromatic or heterocyclic group; R^5 and R^6 represent both hydrogen or together represent a bond; R^5 and R^6 may also represent a hydroxy, $(\text{C}_1\text{-C}_{12})\text{alkyl}$, $(\text{C}_1\text{-C}_{12})\text{alkoxy}$, halogen, acyl, substituted or unsubstituted aralkyl group; X represents O or S; R^7 represents hydrogen, perfluoro $(\text{C}_1\text{-C}_{12})\text{alkyl}$, substituted or unsubstituted groups selected from $(\text{C}_1\text{-C}_{12})\text{alkyl}$, cyclo $(\text{C}_1\text{-C}_{12})\text{alkyl}$, aryl, ar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heteroaryl, heteroar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heterocyclyl, alkoxyalkyl, aryloxyalkyl, alkoxycarbonyl, aryloxy carbonyl, cycloalkyloxy carbonyl, alkylaminocarbonyl, arylaminocarbonyl, acyl groups; Y represents O or S; Z represents oxygen, sulfur or NR^{10} , where R^{10} represents hydrogen or substituted or unsubstituted groups selected from $(\text{C}_1\text{-C}_{12})\text{alkyl}$, aryl, ar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, hydroxy $(\text{C}_1\text{-C}_{12})\text{alkyl}$, amino $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heteroaryl, heteroar $(\text{C}_1\text{-C}_{12})\text{alkyl}$ groups; R^8 represents hydrogen, substituted or unsubstituted groups selected from $(\text{C}_1\text{-C}_{12})\text{alkyl}$, aryl, ar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heteroaryl, heteroar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heterocyclyl, heterocyclylalkyl, hydroxyalkyl, alkoxyalkyl, alkylaminoalkyl groups; R^{10} and R^8 together may form a 5 or 6 membered substituted or unsubstituted cyclic ring structure containing carbon atoms or containing one or more heteroatoms selected from O, N and S.


2. **(Original)** A compound according to claim 1, wherein the substituents on the groups R^1 , R^2 , R^3 and R^4 are selected from halogen, hydroxy, formyl, nitro, oxo, thio, or unsubstituted or substituted groups selected from alkyl, cycloalkyl, alkoxy, cycloalkoxy, aryl, aralkyl, aralkoxyalkyl, heterocyclyl, heteroaryl, heteroaralkyl, acyl, acyloxy, hydroxyalkyl, amino, acylamino, arylamino, aminoalkyl, aryloxy, aralkoxy, alkylamino, alkoxyalkyl, alkylthio, thioalkyl groups, thioalkyl, alkylsulfenyl, alkylsulfonyl, carboxylic acid or its derivatives, or sulfonic acid or its derivatives or phosphonic acid or its derivatives.

3. **(Original)** A compound according to claim 1, wherein the group Ar represents a phenyl ring.

4. **(Original)** A compound according to claim 1, wherein Ar represents substituted or unsubstituted groups selected from divalent groups selected from phenylene, naphthylene, indenyl, dihydrobenzofuryl, benzopyranyl, dihydrobenzopyranyl, indolyl, indolynyl, pyridyl, quinolynyl, azaindolyl, azaindolynyl, benzofuryl, benzothiazolyl or benzoxazolyl groups.

5. **(Original)** A compound according to claim 1, wherein the substituents on the group represented by Ar represents substituted or unsubstituted linear or branched alkyl, alkoxy, thioalkyl, halogen, haloalkyl, haloalkoxy, acyl, amino, acylamino, thio or carboxylic or sulfonic acids and their derivatives, phosphonic acid and their derivatives.

6. **(Original)** A compound according to claim 4, wherein the substituents on the group represented by Ar represents substituted or unsubstituted linear or branched alkyl, alkoxy, thioalkyl, haloalkoxy, acyl, amino, or sulfonic acids and their derivatives, phosphonic acid and their derivatives.



7. **(Original)** A compound according to claim 1, wherein the pharmaceutically acceptable salt is a Li, Na, Ca, Mg, lysine, arginine, guanidine and its derivatives, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts, or an aluminium salt.

8. **(Original)** A pharmaceutical composition which comprises a compound of formula (1),

as defined in the claim 1 and a pharmaceutically acceptable carrier, diluent, excipients or solvate.

9. **(Original)** A pharmaceutical composition according to claim 8, in the form of a tablet, capsule, powder, syrup, solution or suspension.

Claims 10-12 (Canceled)

13. **(Original)** A pharmaceutical composition which comprises, a compound according to claim 7, as an active ingredient and a pharmaceutically acceptable carrier, diluent, excipients or

solvate.

14. **(Original)** A pharmaceutical composition which comprises, a compound according to claim 7, in the form of a tablet, capsule, powder, syrup, solution or suspension.

Claims 15-17 (Canceled)

Claim 18: (Currently amended) A method of ~~preventing or~~ treating diseases caused by hyperlipidaemia, hypercholesteremia, hyperglycemia, obesity, impaired glucose intolerance, leptin resistance, insulin resistance, diabetic complications, comprising administering an effective, non-toxic amount of compound of formula (1) as defined in claim 1 to a patient in need thereof.

Claim 19: (Previously Amended) The method according to claim 18, wherein the complication is type 2 diabetes, impaired glucose tolerance, dyslipidaemia, hypertension, obesity, atherosclerosis, hyperlipidaemia, coronary artery disease, cardiovascular disorders, renal diseases, microalbuminuria, glomerulonephritis, glomerulosclerosis, nephrotic syndrome, hypertensive nephrosclerosis, diabetic retinopathy, diabetic nephropathy, endothelial cell dysfunction, psoriasis, polycystic ovarian syndrome, dementia, end-stage renal disease, osteoporosis, inflammatory bowel diseases, myotonic dystrophy, pancreatitis, arteriosclerosis, xanthoma or cancer.

Claims 20-21 (Canceled)

Claim 22 (Original) A compound according to claim 1 which is selected from:

- (±) Ethyl 3 -{4-[2-(pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(pyrrol- 1 -yl)ethoxy]henyl} -2-ethoxypropanoate;
- (±) Ethyl 3- {4-[2-(2,5-dimethylpyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3- {4-[2-(2,5-dimethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;

- (-) Ethyl 3-{4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate
- (+) Ethyl 3-{4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-2-n-butylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(5-methyl-2-n-butylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2-n-butylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-methoxypropanoate;
- (+) Ethyl 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-methoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-methoxypropanoate;

(±) Methyl 3-{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoate;
(+) Methyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoate;
(-) Methyl 3-{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoate;
(±) Ethyl 3- {4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
(+) Ethyl 3- {4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
(-) Ethyl 3- {4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
(±) Propyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
(+) Propyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
(-) Propyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
(±) Ethyl 3 -{4-[2-(5-methyl-2-(4-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(+) Ethyl 3 -{4-[2-(5-methyl-2-(4-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(-) Ethyl 3- {4-[2-(5-methyl-2-(4-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(±) Ethyl 3- {4-[2-(5-methyl-2-(3-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(+) Ethyl 3 -{4-[2-(5 -methyl-2-(3-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(-) Ethyl 3- {4-[2-(5-methyl-2-(3-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(±) Ethyl 3- {4-[2-(5-methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate,
(+) Ethyl 3 -{4-[2-(5-methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(-) Ethyl 3-{4-[2-(5 -methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(±) Ethyl 3- {4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(±) Ethyl 3 -{4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate,
(-) Ethyl 3- {4-[2-(5 -methyl-2-(4-methoxyphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(±) Ethyl 3- {4-[2-(5-methyl-2-(4-bromophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(+) Ethyl 3- {4-[2-(5-methyl-2-(4-bromophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(-) Ethyl 3- {4-[2-(5 -methyl-2-(4-bromophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(±) Ethyl 3- {4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(+) Ethyl 3- {4-{2-(5 -methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(-) Ethyl 3- {4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(±) Ethyl 3- {4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
(+) Ethyl 3 -{4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;

- (-) Ethyl 3- {4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy}phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3- {4-[2-(5-methyl-2,3-diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(5-methyl-2,3-diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2,3-diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(2-isopropyl-5 -methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(2-isopropyl-5-methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(2-isopropyl-5 -methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(2,5-diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3- {4-[2-(2,5-diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(2,5 -diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(5-isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3- {4-[2-(5 -isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5 -isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3- {4-[2-(2,5-diisopropyl-3 -phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(2,5-diisopropyl-3-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- (4- [2-(2,5 -diisopropyl-3 -phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -(4- {2-f5-isopropyl-2-(4-methoxyphenyl)pyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3 -(4- {2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol- 1 -yl]ethoxy} phenyl)-2-ethoxypropanoate;
- (-) Ethyl 3 -(4- {2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol- I -yl]ethoxy}phenyl)- 2-ethoxypropanoate;
- (±) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5-isopropylpyrrol- 1 -yl]ethoxy} phenyl)- 2-ethoxypropanoate;
- (+) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5 -isopropylpyrrol- 1 -yl]ethoxy} phenyl)- 2-ethoxypropanoate;
- (-) Ethyl 3-(4- {2-[2-(4-fluorophenyl)-5-isopropylpyrrol- 1 -yl]-ethoxy} phenyl)- 2-ethoxypropanoate;
- (±) Ethyl 3 -(4~{2~j~2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxy propanoate;
- (+) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5 -isopropyl-3-phenylpyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxy propanoate;
- (-) Ethyl 3-(4- {2-[2-(4-fluorophenyl)-5-isopropyl-3 -phenylpyrrol- 1 -yl]ethoxy} phenyl)-2-ethoxy propanoate;

- (±) Ethyl 3 -(4-{2-[2-(4-fluorophenyl)-5 -isopropyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5 -isopropyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (-) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (±) Ethyl 3 -(4-{2-[2-(4-fluorophenyl)-5 -isopropyl-3-phenyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy}phenyl)- 2-ethoxypropanoate;
- (+) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5 -isopropyl-3 -phenyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy}phenyl)- 2-ethoxypropanoate;
- (-) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3 -phenyl-4-phenylcarb~unoylpyrrol-1 -yl]ethoxy}phenyl)- 2-ethoxypropanoate;
- (±) Ethyl 3 -(4- (3 -[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol- 1 -yl]propoxy}phenyl)- 2-ethoxypropanoate;
- (+) Ethyl 3 -(4- (3 -[2-(4-fluorophenyl)-5 -isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoate;
- (-) Ethyl 3-(4-{3-[2-(4-fluorophenyl)-5-isopropyl-3 -phenyl-4-phenylcarbamoylpyrrol- 1 -yl]propoxy}phenyl)-2-ethoxypropanoate;
- (±) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5-phenylpyrrol- 1 -yl]ethoxy} phenyl)- 2-ethoxypropanoate;
- (+) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5 -phenylpyrrol- 1 -yl]ethoxy} phenyl)- 2-ethoxypropanoate;
- (-) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-phenylpyrrol- 1 -yl]ethoxy} phenyl)- 2-ethoxypropanoate;
- (±) Ethyl 3-(4-[2-[3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol- 1 -yl]ethoxy]phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3 -(4-{2-[3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (-) Ethyl 3-(4-{2-[3-carboxy-5-phenyl- 2-(4-fluorophenyl)pyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(2-methylthiopyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(2-methylthiopyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(2-methylthiopyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- Ethyl (E/Z) 3- {4-[2-(5 -methyl-2-phenyl-pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxyprop-2-enoate;

Ethyl (Z) 3-{4-[2-(5-methyl-2-phenyl-pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxyprop-2-enoate;
Ethyl (E) 3-{4-[2-(5-methyl-2-phenyl-pyrrol-1 -yl)ethoxy]phenyl} -2-ethoxyprop-2-enoate; [(2R)-N(1 S)]-2-Ethoxy-3-{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -N-(2-hydroxy- 1-phenylethyl)propanamide
[(2S)-N(1 S)]-2-Ethoxy-3 - (4-[2-(5-methyl-2-phenylpyrrol- I -yl)ethoxy]phenyl} -N-(2-hydroxy- 1-phenylethyl) propanamide
(±) 3-{4-[2-(~pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
(+) 3 -(4-[2-(pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
(-) 3-(4-[2-(pyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
(±) 3- (4-[2-(2,5-dimethylpyrrol-1 -yl)ethox]lphenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
(+) 3-(4-[2-(2,5-dimethylpyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
(-) 3- (4-[2-(2,5-dimethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its phannaceutically acceptable salts;
(±) 3-(4-[2-(2,4-dimethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
(+) 3-(4-[2-(2,4-dimethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its phannaceutically acceptable salts;
(-) 3- (4-[2-(2,4-dimethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
(±) 3-(4-[2-(2-ethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic, acid and its pharmaceutically acceptable salts;
(+) 3 -(4-[2-(2-ethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
(-) 3- (4-[2-(2-ethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
(±) 3-(4-f2-(2-formylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

- (+) 3-(4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(2-fonnylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its phannaceutically acceptable salts
- (-) 3-(4-[2-(2-acetylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts
- (±) 3-(4-[2-(2-ethyl-5-methylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its phannaceutically acceptable salts;
- (+) 3-(4-[2-(2-ethyl-5 -methylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-{4-[2-(2-ethyl-5 -methylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-{4-[2-(5-methyl-2-propylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(5-methyl-2-propylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(5-methyl-2-propylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-[2-(5-methyl-2-n-butylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic-acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(5 -methyl-2-n--butylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(5-methyl-2-n-butylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-[2-(5-methyl-2-phenylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+)3-(4-[2-(5-methyl-2-phenylpyrrol- 1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its

- pharmaceutically acceptable salts;
- (-)-3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±)-3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-methoxypropanoic acid and its pharmaceutically acceptable salts;
- (+)-3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-methoxypropanoic acid and its pharmaceutically acceptable salts;
- (-)-3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-methoxypropanoic acid and its pharmaceutically acceptable salts;
- (±)-3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-propoxypropanoic acid and its pharmaceutically acceptable salts;
- (+)-3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-propoxypropanoic acid and its pharmaceutically acceptable salts;
- (-)-3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-propoxypropanoic acid and its pharmaceutically acceptable salts;
- (±)-3-(4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+)-3-(4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-)-3-(4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±)-3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+)-3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-)-3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±)-3-(4-[2-(5-methyl-2-(3-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+)-3-(4-[2-(5-methyl-2-(3-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

- pharmaceutically acceptable salts;
- (-) 3- (4-[2-(5-methyl-2-(3 -methylphenyl)pyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3 -(4-[2-(5-methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3 -(4-[2-(5 -methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- (4- [2-(5-methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- (4-[2-(5 -methyl-2-(4-methoxyphenyl)pyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(5-methyl-2-(4-bromophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(5-methyl-2-(4-bromophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- (4-[2-(5-methyl-2-(4-bromophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- (4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

- (-) 3- (4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2- ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- {4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2- ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- {4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2- ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- {4-[2-(5-methyl-2,3-diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3- {4-[2-(5-methyl-2 ,3 -diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its phannaceutically acceptable salts;
- (-) 3- (4-[2-(5-methyl-2,3 -diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(2-isopropyl-5 -methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(2-isopropyl-5 -methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic and its pharmaceutically acceptable salts;
- (-) 3 -(4-[2-(2-isopropyl-5-methylpyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoic and its pharmaceutically acceptable salts;
- (±) 3-{4-[2-(2,5-diisopropylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-{4-[2-(2,5 -diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-{4-[2-(2,5-diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-{4-[2-(5-isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-{4-[2-(5-isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-{4-[2-(5-isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its

- pharmaceutically acceptable salts;
- (±) 3-(4-[2-(2,5-diisopropyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(2,5-diisopropyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(2,5-diisopropyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-{4-[2-(5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-{4-[2-(5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-{4-[2-(5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid its pharmaceutically acceptable salts;
- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(E/Z) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxyprop-2-enoic acid and its pharmaceutically acceptable salts;

(E) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxyprop-2-enoic acid and its pharmaceutically acceptable salts; and

(Z) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxyprop-2-enoic acid and its pharmaceutically acceptable salts.

Claim 23. (Previously amended) A compound according to claim 22, which is selected from:

(±) 3-(4-[2-(pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(+) 3-(4-[2-(pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(-) 3-(4-[2-(pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(±) 3-{4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(±) 3-(4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(-) 3-(4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(±) 3-(4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(+) 3-(4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (-) 3- (4- [2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3- (4-[2-(2-ethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3- (4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(2-ethylpyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+)3-(4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-)3-(4-[2-(2 -formylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca,

- Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-n-butylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-n-butylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-n-butylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (+) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-methoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-methoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-methoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-propoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-propoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-propoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (-) 3-{4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-(3-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-(3-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(3-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-(2-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-(2-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(2-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (±) 3-{4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-(4-bromophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(5-methyl-2-(4-bromophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(4-bromophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (+) 3-(4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol-1-yl)ethoxy]phenyl) —2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(4-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(4-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(4-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(5-methyl-2,3-diphenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(5-methyl-2,3-diphenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-methyl-2,3-diphenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-{2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(2-isopropyl-5-methylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (-) 3-{4-[2-(2-isopropyl-5-methylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(2,5-diisopropylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(2,5-diisopropylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(2,5-diisopropylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(5-isopropyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(5-isopropyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-isopropyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(2,5-diisopropyl-3-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(2,5-diisopropyl-3-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(2,5-diisopropyl-3-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (±) 3-(4-{2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-{2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-{2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3 -(4- {2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol- I -yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3 -(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3 -phenyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine , tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3 -(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3 -phenyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-{3-[2-(4-fluorophenyl)-5-isopropyl-3 -phenyl-4-phenylcarbamoylpyrrol- 1 -yllpropoxy}phenyl) 2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3 -(4-{3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol- 1 -yl]propoxy}phenyl) . 2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-{3 -[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol- 1 -yl]propoxy}phenyl) - 2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-phenylpyrrol-1 -yl]ethoxy)phenyl)-2--ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-{2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (E/Z) 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxyprop-2-enoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (E) 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxyprop-2-enoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts; and

(Z) 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxyprop-2-enoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts.

24. (Original) A pharmaceutical composition, which comprises a compound as defined in claim 22, and a pharmaceutically acceptable carrier, diluents or excipients or solvate.

25. (Original) A pharmaceutical composition as claimed in claim 24, in the form of a tablet, capsule, powder, syrup, solution or suspension.


26. (Original) A pharmaceutical composition, which comprises a compound as defined in claim 23, and a pharmaceutically acceptable carrier, diluents or excipients or solvate.

27. (Original) A pharmaceutical composition as claimed in claim 26, in the form of a tablet, capsule, powder, syrup, solution or suspension.

Claims 28-35 (Canceled)

Claim 36: (Previously amended)

A process for the preparation of a compound of formula (I)




their tautomeric forms, their stereoisomers, their pharmaceutically acceptable salts, their pharmaceutically acceptable solvates, wherein one or more groups R^1 , R^2 , R^3 , R^4 may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C_1-C_{12}) alkyl, linear or branched (C_2-C_{12}) alkenyl, (C_3-C_7) cycloalkyl, (C_3-C_7) cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C_1-C_{12}) alkoxy, cyclo (C_3-C_7) alkoxy, aryl, aryloxy, aralkyl, ar $(C_1-$

C₁₂)alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C₁-C₁₂)alkyl, heteroar(C₁-C₁₂)alkyl, heteroaryloxy, heteroar(C₁-C₁₂)alkoxy, heterocyclyloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl, heteroaralkoxycarbonyl, heterocyclyloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C₁-C₁₂)alkylthio, thio(C₁-C₁₂)alkyl, arylthio, (C₁-C₁₂)alkoxycarbonylamino, aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and derivatives of carboxylic acids selected from CONH₂, alkylaminocarbonyl, dialkylaminocarbonyl, arylaminocarbonyl; aralkylaminocarbonyl; heteroarylaminocarbonyl and heteroaralkylamino carbonyl groups; heterocyclylaminocarbonyl groups; sulfonic acid and its derivatives selected from SO₂NH₂, SO₂NHMe, SO₂NMe₂, SO₂NHCF₃, SO₂NHCO(C₁-C₆)alkyl, SO₂NHCOaryl groups, phosphonic acid and its derivatives selected from P(O)(OH)₂, P(O)(O C₁-C₆ alkyl)₂, P(O)(O aryl)₂, P(O)(OH)(O C₁-C₆ alkyl) groups; or the adjacent groups R² and R³ together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; W represents O, S or NR⁹ where R⁹ represents hydrogen, (C₁-C₁₂)alkyl or aryl; Ar represents a substituted or unsubstituted divalent single or fused aromatic, heteroaromatic or heterocyclic group; R⁵ and R⁶ represent both hydrogen or together represent a bond; R⁵ and R⁶ may also represent a hydroxy, (C₁-C₁₂)alkyl, (C₁-C₁₂)alkoxy, halogen, acyl, substituted or unsubstituted aralkyl group; X represents O or S; R⁷ represents hydrogen, perfluoro(C₁-C₁₂)alkyl, substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, cyclo(C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl, heterocyclyl, alkoxyalkyl, aryloxyalkyl, alkoxycarbonyl, aryloxycarbonyl, cycloalkyloxycarbonyl, alkylaminocarbonyl, arylaminocarbonyl, acyl groups; Y represents O or S; Z represents oxygen, sulfur or NR¹⁰, where R¹⁰ represents hydrogen or substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, hydroxy(C₁-C₁₂)alkyl, amino(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl groups; R⁸ represents hydrogen, substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl,


heteroar(C₁-C₁₂)alkyl, heterocyclyl, heterocyclalkyl, hydroxyalkyl, alkoxyalkyl, alkylaminoalkyl groups; R¹⁰ and R⁸ together may form a 5 or 6 membered substituted or unsubstituted cyclic ring structure containing carbon atoms or containing one or more heteroatoms selected from O, N and S which includes one or more of the following methods comprising:

- a. reacting a compound of formula (1a), where all symbols are as defined above,




with a compound of formula (1b) which may be racemic or chiral, where all symbols are as defined earlier to yield a compound of general formula (I);

- b. reacting a compound of formula (1c), where L¹ represents a leaving group




with a compound of formula (1d) which may be racemic or chiral, where all symbols are as defined earlier to yield a compound of general formula (I);

- c. reacting the compound of formula (1e),




with a compound of general formula (1d) which may be racemic or chiral, where W is particularly O or S and all other symbols are as defined earlier;

- d. reacting a compound of formula (1f),




where all the symbols are as defined earlier with an alcohol of formula (1g) wherein R⁷ and X are as defined earlier, to produce a compound of formula (I), wherein all symbols are as defined earlier and R⁶ represents H;

e. reacting a compound of general formula (1h),



where all the symbols are as defined earlier, with a compound of formula (1i) which may be chiral or racemic, where R represents (C₁-C₈) alkyl and other symbols are as defined earlier and to afford a compound of formula (I) where R⁵ and R⁶ together form a bond and other symbols are as defined earlier and;


for reacting a compound of general formula (1h),



where all the symbols are as defined earlier, with a compound of formula (1i) which may be chiral or racemic, where all the symbols are as defined earlier and R represents (C₁-C₈) alkyl to afford a compound of formula (I) wherein all symbols are as defined earlier and R⁵ and R⁶ together form a bond which is reduction of the double bond formed together by R⁵ and R⁶.

37. (Currently amended) A process ~~according to claim 36~~ for converting an ester of the general formula (I) to a corresponding acid form and preparing a pharmaceutically acceptable salt and/or a pharmaceutically acceptable solvate thereof, comprising carrying out one or more of the following optional steps:

i. ~~Converting~~ hydrolyzing a compound of formula (I),



their tautomeric forms, their stereoisomers, ~~their pharmaceutically acceptable salts, their pharmaceutically acceptable solvates~~, wherein one or more groups R^1 , R^2 , R^3 , R^4 may be the same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C_1 - C_{12})alkyl, linear or branched (C_2 - C_{12})alkenyl, (C_3 - C_7)cycloalkyl, (C_3 - C_7)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C_1 - C_{12})alkoxy, cyclo(C_3 - C_7)alkoxy, aryl, aryloxy, aralkyl, ar(C_1 - C_{12})alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C_1 - C_{12})alkyl, heteroar(C_1 - C_{12})alkyl, heteroaryloxy, heteroar(C_1 - C_{12})alkoxy, heterocyclyloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl, heteroaralkoxycarbonyl, heterocyclyloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C_1 - C_{12})alkylthio, thio(C_1 - C_{12})alkyl, arylthio, (C_1 - C_{12})alkoxycarbonylamino, aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and derivatives of carboxylic acids

selected from CONH_2 , alkylaminocarbonyl, dialkylaminocarbonyl, arylaminocarbonyl; aralkylaminocarbonyl; heteroarylaminocarbonyl and heteroaralkylamino carbonyl groups; heterocyclaminocarbonyl groups; sulfonic acid and its derivatives selected from SO_2NH_2 , SO_2NHMe , SO_2NMe_2 , SO_2NHCF_3 , $\text{SO}_2\text{NHCO}(\text{C}_1\text{-C}_6)\text{alkyl}$, $\text{SO}_2\text{NHCOaryl}$ groups, phosphonic acid and its derivatives selected from $\text{P}(\text{O})(\text{OH})_2$, $\text{P}(\text{O})(\text{O C}_1\text{-C}_6 \text{ alkyl})_2$, $\text{P}(\text{O})(\text{O aryl})_2$, $\text{P}(\text{O})(\text{OH})(\text{O C}_1\text{-C}_6 \text{ alkyl})$ groups; or the adjacent groups R^2 and R^3 together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; W represents O, S or NR^9 where R^9 represents hydrogen, $(\text{C}_1\text{-C}_{12})\text{alkyl}$ or aryl; Ar represents a substituted or unsubstituted divalent single or fused aromatic, heteroaromatic or heterocyclic group; R^5 and R^6 represent both hydrogen or together represent a bond; R^5 and R^6 may also represent a hydroxy, $(\text{C}_1\text{-C}_{12})\text{alkyl}$, $(\text{C}_1\text{-C}_{12})\text{alkoxy}$, halogen, acyl, substituted or unsubstituted aralkyl group; X represents O or S; R^7 represents hydrogen, perfluoro $(\text{C}_1\text{-C}_{12})\text{alkyl}$, substituted or unsubstituted groups selected from $(\text{C}_1\text{-C}_{12})\text{alkyl}$, cyclo $(\text{C}_1\text{-C}_{12})\text{alkyl}$, aryl, ar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heteroaryl, heteroar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heterocyclyl, alkoxyalkyl, aryloxyalkyl, alkoxycarbonyl, aryloxy carbonyl, cycloalkyloxy carbonyl, alkylaminocarbonyl, arylaminocarbonyl, acyl groups; Y represents O or S; Z represents oxygen, sulfur or NR^{10} , where R^{10} represents hydrogen or substituted or unsubstituted groups selected from $(\text{C}_1\text{-C}_{12})\text{alkyl}$, aryl, ar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, hydroxy $(\text{C}_1\text{-C}_{12})\text{alkyl}$, amino $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heteroaryl, heteroar $(\text{C}_1\text{-C}_{12})\text{alkyl}$ groups; R^8 represents hydrogen, substituted or unsubstituted groups selected from $(\text{C}_1\text{-C}_{12})\text{alkyl}$, aryl, ar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heteroaryl, heteroar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heterocyclyl, heterocyclylalkyl, hydroxyalkyl, alkoxyalkyl, alkylaminoalkyl groups when Z represents sulfur or NR^{10} ; while R^8 represents substituted or unsubstituted groups selected from $(\text{C}_1\text{-C}_{12})\text{alkyl}$, aryl, ar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heteroaryl, heteroar $(\text{C}_1\text{-C}_{12})\text{alkyl}$, heterocyclyl, heterocyclylalkyl, hydroxyalkyl, alkoxyalkyl, alkylaminoalkyl groups,

when Z represents O; R^{10} and R^8 together may form a 5 or 6 membered substituted or unsubstituted cyclic ring structure containing carbon atoms or containing one or more heteroatoms selected from O, N and S, to a further corresponding acid of compound of formula (I), where all symbols are as defined earlier and Y & Z represents oxygen and R^8 represents hydrogen[.], by reacting the ester with an alkaline hydrolytic reagent comprising LiOH, NaOH, KOH, or Ca(OH)₂:

iii. ~~Resolving the racemic mixture into pure enantiomers by the known methods and~~
[[iv]] ii. preparing ~~Preparing~~ a pharmaceutically acceptable salt of the acid compound of formula (1) and, optionally, a pharmaceutically acceptable solvate thereof, by reacting Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium or aluminum with a corresponding base of the compound and/or a pharmaceutically acceptable solvate thereof.

III. REMARKS

▪ Present Application

Claims 1 – 9, 13, 14, 18, 19, 22 – 27, 36, and 37 are now pending in this application. Applicant gratefully acknowledges the Examiner's allowing the Claims 1-9, 13, 14, 22-27 and 36. Rejected Claims 18 and 37 have been amended. No new matter has been introduced with this amendment which is supported throughout the instant Specification, especially on pages 66, 73, and 74. Applicant respectfully asserts that all of the pending claims are patentable.

Response to Objections

▪ The Examiner's Position

The Examiner has issued an objection to Claim 19 because it depends from rejected Claim 18.

▪ The Applicants' Response

Claim 19 is deemed to overcome the Examiner's objections, in view of the amended antecedent Claim 18 which is believed in allowable form as set forth above.

Response to Rejections

- **35 U.S.C. §112, First Paragraph**

- **The Examiner's Position**

The Examiner has rejected claims 18 and 37 under 35 U.S.C. §112, first paragraph, as containing subject matter which was not described in the Specification "in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention" (page 2 of the Detailed Action).

In the opinion of the Examiner, the specification does not enable a person skilled in the art to which it pertains to use the invention commensurate with the breadth of the subject matter of claim 18. However, the Examiner suggests that the rejection can be overcome by deleting the term "or preventing".

Moreover, in the opinion of the Examiner, claim 37 allegedly lacks positive steps which teach how to "convert a compound of formula (1) into a further compound of formula (1)," "resolving the racemic mixture into pure enantiomers by the known methods," and "preparing a pharmaceutically acceptable salt of a compound of formula (1) and/or a pharmaceutically acceptable solvate thereof". However, the Examiner suggests that this rejection can be overcome by listing positive process steps.

- **The Applicant's Response**

Applicant respectfully traverses the Examiner's 35 U.S.C. §112, first paragraph, rejections based in part upon its assertion that the specification contains a written description of the manner and process of making and using the embodiments of the invention asserted in the claims, in such full clear, concise and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same. It is asserted that the specification teaches those in the art enough that they can make and use the invention without "undue experimentation." *Amgen v. Hoechst Marion Roussel, Inc. and Transkaryotic Therapies, Inc.*, Slip Opinion (Fed. Cir. January 6, 2003). Applicants note that a patent need not disclose that which is already known in the art in order to be enabling *Hybritech*

Inc. v. Monoclonal Antibodies, Inc., 802 F.2d 1367, 1385 (Fed. Cir. 1986), *cert. denied*, 480 U.S. 947 (1987). Even when “considerable amount of experimentation” is necessary to eventuate in the invention such is permissible when the experimentation was “merely routine, or if the specification in question provide[d] a reasonable amount of guidance with respect to the direction in which the experimentation should proceed.” *PPG Indus., Inc. v. Guardian Indus. Corp.*, 75 F.3d 1558, 1564 (Fed. Cir. 1996)

However, in order to expedite prosecution in this case to gain the earliest allowance to claims of present commercial interest, Applicant has deleted the term “or preventing” in claim 18 and listed positive process steps in claim 37. 5 U.S.C. Therefore, Applicant asserts that the amended claims overcome the rejections under the statute. In making such amendments, Applicants expressly reserve the right to prosecute the subject matter of the anamended claims in a future continuation, continuation-in-part, divisional, etc. application.

Specifically, Claim 37, formerly dependent from Claim 36, is now presented as independent Claim 37, directed to the process of (i) hydrolyzing an ester compound of the general formula (I) as defined, to a corresponding acid; and further reacting the base component of such an acid compound with a suitable alkaline reagent to form a pharmaceutically acceptable salt, or optionally, a pharmaceutically acceptable solvate thereof. The method of preparing corresponding acids from the esters of general formula (I) by hydrolysis, is described in the instant Preparation Nos. 14, 15, 16, 19 and 20, which compounds are disclosed in Tables 11, 12 and 13. Preparation of the corresponding salts is described in the Preparation Nos. 21 and 22 as well as disclosed in Tables 16 and 17. In regard to claim 37, the term “and/or” in formerly designated step (iv), now amended step (ii), has been replaced by inserting the phrase --and optionally-- as suggested by the Examiner. No undue experimentation by one of ordinary skill in this art is deemed necessary in the practice of the claimed invention.